




Product Type: Terminal block

Product Name: X2-C37P-NZ

Product Description: 50mm ordinary base, DSUB-F connector input, MC-DTP/TP Terminal 37 outputs, no status indicator relay module.

Product Size



Parameters

⌘ SUPU ID	X2-C37P-NZ
⌘ Number of connections	37
⌘ Protection Level	IP20

☞ Operating temperature range -20°C-+70°C

☞ Mounting Type 35mm DIN/screw mounting

## Technical data

☞ Overvoltage category II

☞ Degree of pollution 2

☞ Stripping length 9-10mm

☞ Cable cross section (AWG) 500VAC/1min

☞ Insulation Resistance 500MΩ

☞ Wire Range 28-16AWG

☞ Coil Current /

☞ Load Current 1A

☞ Coil Voltage /

## Commercial data

☞ Order No X2-C37P-NZ

☞ Packing unit PCS

☞ Minimum order quantity 5

## Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,

Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Ningbo SUPU Electronics Co., Ltd.

Service Hotline: 400-626-6336



Wechat

---

Date:2026-04-24 19:25

The right to modify data belongs to SUPU.