




Product Type: Fixed terminal

**Product Name:MC-TC5.08H05P-  
N-0001**

---

Product Description: Pitch:5.08mm Rated  
Voltage : 400V Rated Current:15A Connection  
method : Push in connection  
colour : customizable

Product Size



Parameters

|                               |                      |  |
|-------------------------------|----------------------|--|
| ⌘ SUPU ID                     | MC-TC5.08H05P-N-0001 |  |
| ⌘ Pitch                       | 5.08                 |  |
| ⌘ Number of levels            | Single layer         |  |
| ⌘ Number of connections       | 5                    |  |
| ⌘ Connection method           | Push in connection   |  |
| ⌘ Protection Level            | IP20                 |  |
| ⌘ Operating temperature range | -40~+105°C           |  |
| ⌘ Insulation material         | PA66                 |  |

|                             |                                  |
|-----------------------------|----------------------------------|
| ☞ Insulation material group | I                                |
| ☞ Contact material          | Copper alloy                     |
| ☞ Contact plating           | Sn,Plated                        |
| ☞ Color                     | Green/Black/Blue/Grey/Orange/Red |

## Commercial data

|            |                      |
|------------|----------------------|
| ☞ Order No | MC-TC5.08H05P-N-0001 |
|------------|----------------------|

## Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,  
Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat