


Product Type: Heavy-duty connector pins

Product Name:SCSM-010-1

Product Description: 10A silver plated, Male, compatible with 1.0mm<sup>2</sup>



Product Size



Parameters

|                                                                                                                                     |                                |
|-------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| <div>  SUPU ID         </div>                     | SCSM-010-1                     |
| <div>  Operating temperature range         </div> | -40°C~+125°C                   |
| <div>  Category         </div>                    | cold-pressed pin male terminal |
| <div>  Connection method         </div>           | Crimp terminal                 |

|                        |      |
|------------------------|------|
| ⌘ Mechanical endurance | ≥500 |
|------------------------|------|

Technical data

|                            |                         |
|----------------------------|-------------------------|
| ⌘ IEC Rated Current        | 10A                     |
| ⌘ Contact/surface material | Hard-silver Plated      |
| ⌘ Pin Material             | Copper Alloy            |
| ⌘ Contact resistance       | ≤3mΩ                    |
| ⌘ Wire Specification       | 1mm <sup>2</sup> /18AWG |

Commercial data

|                          |            |
|--------------------------|------------|
| ⌘ Order No               | SCSM-010-1 |
| ⌘ Packing unit           | PCS        |
| ⌘ Minimum order quantity | 1          |

Ningbo SUPU Electronics Co., Ltd.  
 Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,  
 Cixi City, Zhejiang Province, China  
 Zip code: 315303  
 Switchboard: +86 574-63288158  
 Fax: +86 574-63288170  
 E-mail:supucontact@supu.cn  
 Service Hotline: 400-626-6336



Wechat

---

Date:2026-02-20 00:34

The right to modify data belongs to SUPU.