



Product Description: S10B Housings,metal,4  
blots,surface mounting,M20 thread,metal cover

Technical drawing of a mechanical component, likely a bracket or support, showing dimensions in millimeters. The drawing includes a side view and a top view. The side view shows a vertical dimension of 53.5 mm and a horizontal dimension of 22 mm. The top view shows a horizontal dimension of 69 mm and a vertical dimension of 51.5 mm. A circular feature is visible on the side view, and a rectangular feature is visible on the top view.



S10B-SM-4B-M20-MC

#### Protection Level

IP65

 Operating temperature range

-40°C~+125°C

 Color

Grey

|                        |      |
|------------------------|------|
| ⌘ Thread type          | M20  |
| ⌘ Category             | Base |
| ⌘ Mechanical endurance | ≥500 |

## Technical data

|                    |                   |
|--------------------|-------------------|
| ⌘ Sealing material | NBR               |
| ⌘ Housing Material | Die-Cast Aluminum |

## Commercial data

|                          |                   |
|--------------------------|-------------------|
| ⌘ Order No               | S10B-SM-4B-M20-MC |
| ⌘ Packing unit           | PCS               |
| ⌘ Minimum order quantity | 1                 |

## Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,

Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat

---

Date:2026-02-20 01:50

The right to modify data belongs to SUPU.