


Product Type: M8 Panel Mounting Connector

Product Name:M8A06C-MPSRHUB

Product Description: M12A panel male 6-core welded type,board mounted,M8\*1.0

Product Size



Parameters

|                                                                 |           |
|-----------------------------------------------------------------|-----------|
| <div> <div></div> <div>SUPU ID</div> </div>                     | M8        |
| <div> <div></div> <div>Number of connections</div> </div>       | 6         |
| <div> <div></div> <div>Protection Level</div> </div>            | IP67      |
| <div> <div></div> <div>Operating temperature range</div> </div> | -40~+85°C |

|                        |                |
|------------------------|----------------|
| ☞ Mounting Type        | Rear Mounting  |
| ☞ Color                | Black          |
| ☞ Core number          | 6              |
| ☞ Thread type          | M8X1.0         |
| ☞ Category             | Male           |
| ☞ Product type         | A              |
| ☞ Coding               | A              |
| ☞ Connection method    | Cup Port       |
| ☞ Mechanical endurance | 100            |
| ☞ Standards            | IEC61076-2-104 |

## Technical data

|                            |                          |
|----------------------------|--------------------------|
| ☞ IEC Rated Current        | 1.5A                     |
| ☞ IEC Rated Voltage        | 30 VAC / 30 VDC          |
| ☞ Degree of pollution      | 3                        |
| ☞ Insulation Resistance    | $\geq 100\text{M}\Omega$ |
| ☞ Contact resistance       | $< 10\text{m}\Omega$     |
| ☞ Contact/surface material | CuSn/Ni/Au               |
| ☞ Contact carrier material | PA                       |
| ☞ Screw/nut material       | CuZn                     |
| ☞ Sealing material         | NBR                      |
| ☞ Cable length             | /                        |
| ☞ 导线材料                     | /                        |

## Commercial data

|                        |                |
|------------------------|----------------|
| Order No               | M8A06C-MPSRHUB |
| Packing unit           | PCS            |
| Minimum order quantity | 1              |

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,  
Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat