




Product Type: M8 Panel Mounting Connector

Product Name:M8A06C-FFHA-UC0.5

Product Description: M12A panel female 6-core ,front mounted,M8\*0.5,with 0.5 m electronic wire

Product Size



Parameters

|                                                                 |           |
|-----------------------------------------------------------------|-----------|
| <div> <div></div> <div>SUPU ID</div> </div>                     | M8        |
| <div> <div></div> <div>Number of connections</div> </div>       | 6         |
| <div> <div></div> <div>Protection Level</div> </div>            | IP67      |
| <div> <div></div> <div>Operating temperature range</div> </div> | -40~+85°C |

|                        |                   |
|------------------------|-------------------|
| ☞ Mounting Type        | Front Panel Mount |
| ☞ Color                | Black             |
| ☞ Core number          | 6                 |
| ☞ Thread type          | M8X0.5            |
| ☞ Category             | Female            |
| ☞ Product type         | A                 |
| ☞ Coding               | A                 |
| ☞ Connection method    | Cup Port          |
| ☞ Mechanical endurance | 100               |
| ☞ Standards            | IEC61076-2-104    |

## Technical data

|                            |                   |
|----------------------------|-------------------|
| ☞ IEC Rated Current        | 1.5A              |
| ☞ IEC Rated Voltage        | 30 VAC / 30 VDC   |
| ☞ Degree of pollution      | 3                 |
| ☞ Insulation Resistance    | $\geq 100M\Omega$ |
| ☞ Contact resistance       | $< 10m\Omega$     |
| ☞ Contact/surface material | CuSn/Ni/Au        |
| ☞ Contact carrier material | PA                |
| ☞ Screw/nut material       | CuZn              |
| ☞ Sealing material         | NBR               |
| ☞ Cable length             | 0.5               |
| ☞ 导线材料                     | PVC               |

## Commercial data

|                          |                   |
|--------------------------|-------------------|
| ☞ Order No               | M8A06C-FFHA-UC0.5 |
| ☞ Packing unit           | PCS               |
| ☞ Minimum order quantity | 1                 |

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,  
Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat