







Product Type: Slim intermediate relay

Product Name: SCB-RP-230AC-1C

Product Description: Slim relay socket, Push-In Type, Compact, 1C/O, Input Voltage 230VACC

## Product Size



## Parameters

SUPU ID

SCB-RP-230AC-1C

Connection method

Push-in type

Protection Level

IP20

|                                   |                      |
|-----------------------------------|----------------------|
| ☞ Ambient temperature (operation) | -40~+85°C            |
| ☞ Ambient temperature (storage)   | -40~+85°C            |
| ☞ Mounting Type                   | DIN 35 rail mounting |
| ☞ Color                           | Black                |
| ☞ Connection method               | Push-in type         |
| ☞ Contact connection type         | 1C                   |

## Commercial data

|                          |                 |
|--------------------------|-----------------|
| ☞ Order No               | SCB-RP-230AC-1C |
| ☞ Packing unit           | PCS             |
| ☞ Minimum order quantity | 10              |
| ☞ Single piece weight    | 21g             |

## Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,  
Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat

---

Date:2025-10-25 11:12

The right to modify data belongs to SUPU.