



Product Type: Crimp terminal

Product Name:BP635V14M-WT-0000

Product Description: Pitch:6.35mm Rated  
Voltage : 600V 1 row, 4column CE

Product Size



Parameters

|                               |                      |
|-------------------------------|----------------------|
| ⌘ SUPU ID                     | BP635V14M-WT-0000    |
| ⌘ Pitch                       | 6.35                 |
| ⌘ Number of levels            | Multi-Layer          |
| ⌘ Number of connections       | 15                   |
| ⌘ Connection method           | Cold Pressure Wiring |
| ⌘ Protection Level            | IP20                 |
| ⌘ Operating temperature range | -40~+105°C           |
| ⌘ Insulation material         | PA66                 |

|                             |       |
|-----------------------------|-------|
| ☞ Insulation material group | I     |
| ☞ Contact material          | -     |
| ☞ Contact plating           | -     |
| ☞ Color                     | White |

Commercial data

|            |                   |
|------------|-------------------|
| ☞ Order No | BP635V14M-WT-0000 |
|------------|-------------------|

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,  
Cixi City, Zhejiang Province, China  
Zip code: 315303  
Switchboard: +86 574-63288158  
Fax: +86 574-63288170  
E-mail:supucontact@supu.cn  
Service Hotline: 400-626-6336



Wechat