Product Type: Low-voltage High-current Connector

# Product Name:EA30PHF230G-OG

Product Description: Connectors for Drones and Embodied Intelligence:Color:Orange,Rated current:20A,Rated voltage(III/3)250V,Rated impulse voltage1000V,Product type:Straight female connector for Board,Welding leg specifications:3mm,Cross-section:16AWG,Pins:2-Pin,Contact plating:Au,Plated

## Product Size




## Parameters

| | |
|---|---|
| SUPU ID | EA30PHF230G-OG |

| | |
|---|---|
| Pitch | 5 |
| Connection method | Welded |
| Protection Level | IP40 |
| Operating temperature range | -40°C～125°C |
| Insulation material | PA |
| Insulation material group | I |
| Contact material | Copper Alloy |
| Contact plating | Au,Plated |
| Insertion/withdrawal cycles | 100 |
| 塑件结构 | board |
| 焊脚规格 | 3mm |
| Outgoing direction | Horizontal Wiring |

## Technical data

| | |
|---|---|
| Rated Voltage | 250V |
| Overvoltage category | III |
| Degree of pollution | 3 |
| Rated impulse voltage | 1000V |

## Commercial data

| | |
|---|---|
| Order No | EA30PHF230G-OG |

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,
Cixi City, Zhejiang Province, China
Zip code: 315303
Switchboard: +86 574-63288158
Fax: +86 574-63288170
E-mail:supucontact@supu.cn
Service Hotline: 400-626-6336

Wechat

Date:2026-04-24 19:16
The right to modify data belongs to SUPU.